



By appointment to The Royal Danish Court

morso

since 1853

By appointment to The Royal Danish Court
morsø
 since 1853

1412 Squirrel

RRP: R36 599,00

Excludes Installation

FEATURES

- Radiant Heat
- Ash Can
- Airwash system
- Riddling grate system
- Primary air supply
- Secondary air supply
- Fuel: Multifuel

GENERAL DATA



Energy Efficiency Rated	A+
Output (kw).....	5,3
Operating Output (kw).....	3 - 5
Heats (m2).....	45 - 75
Chamber Width (cm).....	28

INSTALLATION DATA

Height (mm).....	703
Width (mm).....	388
Dept (mm).....	438
Flue outlet top.....	Ø 125
Flue outlet rear.....	Ø 125
Weight (kg).....	70

CLEARANCE TO COMBUSTIBLES

Rear (mm).....	200
Sides (mm).....	600





By appointment to The Royal Danish Court
morso
 since 1853

2110

RRP: R52 699,00

Excludes Installation

FEATURES

- Radiant Heat
- Pre-heated combustion air
- Pre-heated secondary air supply
- Ash Can
- Riddling grate system
- Fuel: Multifuel

GENERAL DATA


Energy Efficiency Rated	A
Output (kw).....	8
Operating Output (kw).....	4 - 8
Heats (m2).....	60 - 120
Chamber Width (cm).....	40

INSTALLATION DATA

Height (mm).....	705
Width (mm).....	598
Dept (mm).....	505
Flue outlet top.....	Ø 150
Flue outlet rear.....	Ø 150
Weight (kg).....	120

CLEARANCE TO COMBUSTIBLES

Rear (mm).....	200
Sides (mm).....	550





Morsø 3116

3100 BADGER SERIES

The **Morsø 3100 series** incorporates the best from the classic Morsø design, but takes advantage of the latest combustion principles. Efficient and environmentally friendly multi-fuel stoves. The Morsø 3116 is equipped with riddling grate and ashpan, making it easy to remove ash

and clean the stove. It is manufactured using the latest combustion principles with tertiary air supply and meet the most stringent environmental requirements. It can be fired with wood, briquettes or approved smokeless fuel and is suitable for heating areas of up to 75 cubic metres.

NEW



Morsø 3116
Item-no: 64311821

RRP: R54 799,00

EN 13240 and Ecodesign2022 compliant.

A⁺

Rated output	5 kW
Log length	32 cm
Weight	94,5-109,5 kg
Efficiency net/gross	81/73,7%
12 mm hearth compliant.	

Flue outlet, rear and top option internal ø. 125 mm

Clearance to Combustibles

Top	500 mm
Sides	600 mm
Rear	200 mm
Soft Furniture	800 mm

Optional outside air kit available.
(to use stove as woodburner only)

